

Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name : MX-753GT

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Reprographic agents (Toner)

#### 1.3 Details of the supplier of the safety data sheet

Company	: SHARP Electronics Europe Ltd
	4 Furzeground Way, Stockley Park, Uxbridge, Middlesex, UB11 1EZ, UK
Telephone	: +49 40 2376-0
E-mail address of person responsible for the SDS	: compliance@sharp.eu

## 1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: None
Signal word	: None
Hazard statements	: None
Precautionary statements	: None

## 2.3 Other hazards

Potential dust explosion hazard.



Revision Date:30.June 2015Date of first issue: 1.January 2010SDS Number: F-01881

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

# Components

Chemical Name	CAS-No.	EC-No.	Classification (REGULATION (EC) No1272/2008)	Concentration (%)
Styrene-Acrylate copolymer	Confidential	Confidential	Not classified	80-90
Carbon black	1333-86-4	215-609-9	Not classified	5-10
Polyethylene	Confidential	Confidential	Not classified	1-5
Charge control agent	Confidential	Confidential	Not classified	1-5
Silicon dioxide	7631-86-9	231-545-4	Not classified	0,1-1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures		
4.1 Description of first aid measures		
General advice	:	In the case of accident or if you feel unwell, seek medical
		advice immediately.
		When symptoms persist or in all cases of doubt seek medical
		advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment
		when the potential for exposure exists.
If inhaled	:	If inhaled, remove to fresh air.
		If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	Remove contaminated clothing and shoes.
		Get medical attention if irritation develops and persists.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water.
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, Get medical attention.
		Rinse mouth thoroughly with water.
4.2 Most important symptoms and effects	s, b	oth acute and delayed
Risks	:	Dust contact with the eyes can lead to mechanical irritation.
4.3 Indication of any immediate medical a	itte	ntion and special treatment needed
Treatment	:	Treat symptomatically and supportively.



Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media :	Water	spray
	Alcoho	-resistant foam
	Dry che	emical
	Carbor	dioxide (CO2)
Unsuitable extinguishing media :	High v	blume water jet
5.2 Special hazards arising from the substant	e or m	ixture
Specific hazards during firefighting :	Do not	use a solid water stream as it may scatter and spread fire.
	Expos	ure to combustion products may be a hazard to health.
Hazardous combustion products :	Carbor	oxides
	Nitroge	n oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters:	In the e	event of fire, wear self-contained breathing apparatus.
	Use pe	rsonal protective equipment.
Specific extinguishing methods :	Use ex	tinguishing measures that are appropriate to local
	circum	stances and the surrounding environment.
	Use wa	ter spray to cool unopened containers.
	Remov	e undamaged containers from fire area if it is safe to
	do so.	Evacuate area.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions	: Use personal protective equipment.
	Follow safe handling advice and personal protective
	equipment recommendations.
6.2 Environmental precautions	
Environmental precautions	: Discharge into the environment must be avoided.
	Prevent further leakage or spillage if it is safe to do so.
	Retain and dispose of contaminated water.
	Local authorities should be advised if significant spillages
	cannot be contained.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Sweep up or vacuum up spillage and collect in suitable
	container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).



Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

<b>SECTION 7: Handling and storage</b>	ge
7.1 Precautions for safe handling	
Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding
	and bonding, or inert atmospheres.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety
	practice. Keep container tightly closed.
	Minimize dust generation and accumulation.
	Keep away from heat and sources of ignition.
	Take care to prevent spills, waste and minimize release to the
	environment.
Hygiene measures	: When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulation
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available



Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Carbon black	1333-86-4	TWA	3.5 mg/m3	GB EH40
Carbon black	1333-00-4	STEL	7 mg/m3	GB EH40
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
	7031-00-9	TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40

#### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

# Personal protective equipment

Eye protection	:	Not required under intended use
Hand protection	:	Not required under intended use
Skin and body protection	:	Not required under intended use
Respiratory protection	:	Not required under intended use

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and o	chem	ical properties
Appearance	:	Powder
Colour	:	Black
Odour	:	Odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	ca. 1,1 g/cm3
Bulk density	:	ca. 0,35 g/cm3
Solubility(ies)		
Water solubility	:	negligible



Revision Date:30.June 2015Date of first issue: 1.January 2010SDS Number: F-01881

		SDS Number : F-01881
Partition coefficient: noctanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2 Other information		
No data available		
SECTION 10: Stability and reactivity		
10.1 Reactivity		
Not classified as a reactivity hazard.		
10.2 Chemical stability		
Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions	:	Dust can form an explosive mixture in the air.
		Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents
10.6 Hazardous decomposition products	5	

No hazardous decomposition products are known.

11.1 Information on toxicological effe	cts	
Information on likely routes of exposu	ure :	Inhalation
		Skin contact
		Ingestion
		Eye contact
Acute toxicity		
Acute oral toxicity	:	LD50 : > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 : > 5,0 mg/l
Skin corrosion/irritation		
No skin irritation		
Serious eye damage/eye irritation		
No eye irritation		



Revision Date	:30.June 2015		
Date of first issue	: 1.January 2010		
SDS Number	: F-01881		

#### Respiratory or skin sensitisation

No sensitization

#### Germ cell mutagenicity

AMES

: negative

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

No data available

# STOT - single exposure

No data available

## STOT - repeated exposure

No data available

#### **Aspiration toxicity**

Not relevant

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

-		
Toxicity to fish	: LC50: > 100 mg/l	
	Exposure time: 96 h	
Toxicity to daphnia and other aquatic	: EC50: > 100 mg/l	
invertebrates	Exposure time: 48 h	
Toxicity to algae	: EC50: > 100 mg/l	
	Exposure time: 72 h	

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

### 12.6 Other adverse effects

No data available



Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	: Dispose of it in accordance with local regulations.
	According to the European Waste Catalogue, Waste Codes
	are not product specific, but application specific.
	Waste codes should be assigned by the user, preferably in
	discussion with the waste disposal authorities.
Contaminated packaging	: Dispose of it as an unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

# **SECTION 14: Transport information**

•		
14.1 UN number	:	None
14.2 UN proper shipping name	:	None
14.3 Transport hazard class(es)	:	None
14.4 Packing group	:	None
14.5 Environmental hazards	:	None
14.6 Special precautions for user	:	Not applicable
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Remarks	:	Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
Regulation (EC) No 649/2012 of the European Parliament	: Not applicable				
and the Council concerning the export and import of					
dangerous chemicals					
REACH - Candidate List of Substances of Very High	: Not applicable				
Concern for Authorisation (Article 59).					
Regulation (EC) No 1005/2009 on substances that deplete	: Not applicable				
the ozone layer					
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable				
15.2 Chemical Safety Assessment					

A Chemical Safety Assessment has not been carried out.



# SAFETY DATA SHEET

Revision Date :30.June 2015 Date of first issue : 1.January 2010 SDS Number : F-01881

SECTION 16: Other information			
Full text of other abbreviations			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits	
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)	
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)	
Further information			
Sources of key data used to compile	:	Internal technical data, data from raw material SDSs, OECD	
the Safety Data Sheet		eChem Portal search results and European Chemicals	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Agency, http://echa.europa.eu/