

Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC600LLYBK, LC4100LLYBK, LC410BK, LC41

LC990HYBK, LC1100HYBK Ink

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK,

LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

Product Form Mixture

Safety data sheet number BHK018-01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use

specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EN / EGHS Page 1 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Water	7732-18-5	231-791-2	-	65-75	Not classified	No data available
Glycerol	56-81-5	200-289-5	-	20-30	Not classified	No data available
Carbon Black	1333-86-4	215-609-9 435-640-3	-	1-5	Not classified	Registered
1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	<0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	No data available

^{**} CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

EN / EGHS Page 2 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Skin contact: Repeated and/or prolonged skin contact may cause irritation

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

Inhalation: Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Avoid contact with eyes.

EN / EGHS Page 3 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

6.2. Environmental precautions

Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

6.3. Methods and material for containment and cleaning up

Methods for containmentAbsorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of reach of children. Avoid contact with skin and eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents.

7.3. Specific end use(s)

Specific use(s) These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use

in the products stated.

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Glycerol	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 200 mg/m ³
56-81-5		STEL: 30 mg/m ³	-	-	_

EN / EGHS Page 4 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Carbon Black 1333-86-4	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Glycerol 56-81-5	-	TWA: 10 mg/m ³	-	TWA: 20 mg/m ³	-
Carbon Black 1333-86-4	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Glycerol 56-81-5	-	TWA: 50 mg/m ³ STEL: 100 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³ STEL: 30 mg/m ³
Carbon Black 1333-86-4	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³ STEL: 15 mg/m ³

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color black
or Slight.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 9 Melting point / freezing point < -5 °C Soiling point / boiling range > 100 °C

EN / EGHS Page 5 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

Flash point > 94 °C Tag Closed Cup, Cleveland Open Cup,

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air None known

Upper flammability limit:No data availableLower flammability limit:No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density1.0 - 1.1(H2O=1)

Relative density 1.0 - 1.1 (H₂O=1)
Water solubility Soluble in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperature> 400 °C

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known

Kinematic viscosityNo data available
None known **Dynamic viscosity**1 - 5 mPa s

Explosive propertiesNo information available
No information available.
No information available

9.2. Other information

No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation No information available

Eye contact No information available

Skin contact: No information available

Ingestion Acute LD₅₀ > 2000 mg/kg (OECD 420 method)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 52,271.10 mg/kg ATEmix (dermal) 27,474.80 mg/kg

Skin corrosion/irritation Non-irritant (OECD 404 method)

Serious eye damage/eye irritation Minimal irritant to the eye (OECD 405 method)

Respiratory or skin sensitization It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen

(possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any

association between carbon black and lung tumors.

Other ingredients of this product have not been classified as carcinogens according to

IARC monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity .

Contains 0 % of components with unknown hazards to the aquatic environment.

EN / EGHS Page 7 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycerol	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	-	500: 24 h Daphnia magna mg/L EC50
Carbon Black	1	1000:96 h Brachydanio rerio mg/L LC50	-	5600: 24 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Glycerol	-1.76
1,2-Benzisothiazolin-3-one	1.3

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Dispose in accordance with federal, state and local regulations.

Section 14: Transport information

<u>IMDG</u>

14.1UN/ID noNot regulated14.2Proper shipping nameNot regulated14.3Hazard ClassNot regulated14.4Packing groupNot regulated

EN / EGHS Page 8 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None
14.7	Transport in bulk acco	rding toNot applicable

Annex II of MARPOL 73/78 and the

IBC Code

К	u	ט
7	4	-

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable

14.6 Special Provisions None

ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

<u>IATA</u>

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
446	Chariel Draviniana	None

14.6 Special Provisions None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.
- * Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

EN / EGHS Page 9 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

** Trade secret

Key literature references and sources for data

No information available

Revision Date 10-Mar-2020

Issuing Date 26-Dec-2007

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

EN / EGHS Page 10 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

lnk

Safety data sheet number: BHC018-01

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C,

LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Product Form Mixture

Safety data sheet number BHC018-01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are dark blue ink in a cartridge for Brother Industries, Ltd. inkjet

multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only

consistent with the use specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EN / EGHS Page 1 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

•

Safety data sheet number: BHC018-01

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Water	7732-18-5	231-791-2	-	60-70	Not classified	No data available
Glycerol	56-81-5	200-289-5	-	15-25	Not classified	No data available
Triethylene glycol, monobutyl ether	143-22-6	205-592-6	603-183-00-0	1-5	Eye Dam. 1 (H318)	No data available
Diethylene glycol	111-46-6	203-872-2	603-140-00-6	1-5	Acute Tox. 4 (H302)	No data available
Cyan Dye	**	-	-	< 5	Eye Dam. 1 (H318)	No data available
1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	< 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	No data available

^{**} CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

EN / EGHS Page 2 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

lnk

Safety data sheet number: BHC018-01

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Skin contact: Repeated and/or prolonged skin contact may cause irritation

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

Inhalation: Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent

significant exposure to toxic combustion gases from any source.

EN / EGHS Page 3 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

Safety data sheet number: BHC018-01

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

6.3. Methods and material for containment and cleaning up

Methods for containmentAbsorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of reach of children. Avoid contact with skin and eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents.

7.3. Specific end use(s)

Specific use(s)

These products are dark blue ink in a cartridge for Brother Industries, Ltd. inkjet

multifunction devices and fax receivers. The cartridge should be used as supplied by

Brother and for use in the products stated.

Section 8: Exposure controls and personal protection

8.1. Control parameters

EN / EGHS Page 4 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

Safety data sheet number: BHC018-01

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Glycerol	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 200 mg/m ³
56-81-5		STEL: 30 mg/m ³			
Diethylene glycol	-	TWA: 23 ppm	-	-	TWA: 10 ppm
111-46-6		TWA: 101 mg/m ³			TWA: 44 mg/m ³
		STEL: 69 ppm			
		STEL: 303 mg/m ³			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Glycerol	-	TWA: 10 mg/m ³	-	TWA: 20 mg/m ³	-
56-81-5					
Diethylene glycol	-	-	-	-	TWA: 2.5 ppm
111-46-6					TWA: 11 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Glycerol	-	TWA: 50 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
56-81-5		STEL: 100 mg/m ³			STEL: 30 mg/m ³
Diethylene glycol	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 mg/m ³	-	TWA: 23 ppm
111-46-6	TWA: 44 mg/m ³	TWA: 44 mg/m ³			TWA: 100 mg/m ³
	STEL 40 ppm	STEL: 40 ppm			STEL: 69 ppm
	STEL 176 mg/m ³	STEL: 176 mg/m ³			STEL: 300 mg/m ³

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

EN / EGHS Page 5 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

Safety data sheet number: BHC018-01

Appearance

Physical state Liquid
Color dark blue
Odor Slight.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 9Melting point / freezing point < -5 °C Boiling point / boiling range > 100 °C

Flash point > 94 °C Tag Closed Cup, Cleveland Open Cup,

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit: No data available Lower flammability limit: No data available

Water solubilitySoluble in waterSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone known

Autoignition temperature No data available None know

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosity1 - 5 mPa s

Explosive properties No information available No information available.

Oxidizing properties No information available

9.2. Other information

No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

EN / EGHS Page 6 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHC018-01

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation No information available

Eye contact No information available

Skin contact: No information available

Ingestion Acute LD₅₀ > 2000 mg/kg (OECD 420 method)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 8,713.80 mg/kg **ATEmix (dermal)** 21,394.20 mg/kg

Skin corrosion/irritationNon-irritant (OECD 404 method)

Serious eye damage/eye irritation Minimal irritant to the eye (OECD 405 method)

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Ingredients of this product have not been classified as carcinogens according to IARC

monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

EN / EGHS Page 7 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

nk

Safety data sheet number: BHC018-01

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Glycerol	-	51 - 57: 96 h	-	500: 24 h Daphnia magna
		Oncorhynchus mykiss		mg/L EC50
		mL/L LC50 static		
Triethylene glycol,	500: 72 h Desmodesmus	2400: 96 h Pimephales	-	500: 48 h Daphnia magna
monobutyl ether	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50
		static 2400: 96 h		
		Pimephales promelas		
		mg/L LC50 2200 - 4600:		
		96 h Leuciscus idus mg/L		
		LC50 static		
Diethylene glycol	-	75200: 96 h Pimephales	EC50 = 29228 mg/L 15	84000: 48 h Daphnia
		promelas mg/L LC50	min	magna mg/L EC50
		flow-through		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Glycerol	-1.76
Triethylene glycol, monobutyl ether	0.51
Diethylene glycol	-1.98
1,2-Benzisothiazolin-3-one	1.3

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Dispose in accordance with federal, state and local regulations.

EN / EGHS Page 8 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Safety data sheet number: BHC018-01

Section 14: Transport information

IMDG

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

IATA

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- $\frac{\text{EU-Regulations}}{\text{* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.}}$
- * Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

EN / EGHS Page 9 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHC018-01

Revision Number: 12

Product Name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC

Ink

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average)

Trade secret

STEL (Short Term Exposure Limit)

Key literature references and sources for data

No information available

Revision Date 10-Mar-2020

Issuing Date 26-Dec-2007

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

STEL



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC975M, LC980M, LC985M,

LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM, LC1100HYM Ink

Product Form Mixture

Safety data sheet number BHM018-01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are dark red ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use

specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EN / EGHS Page 1 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Water	7732-18-5	231-791-2	-	65-75	Not classified	No data available
Glycerol	56-81-5	200-289-5	-	10-20	Not classified	No data available
Diethylene glycol	111-46-6	203-872-2	603-140-00-6	1-5	Acute Tox. 4 (H302)	No data available
Magenta Dye2	**	-	-	<2	Not classified	No data available
Magenta Dye (FJM-001B)	**	-	-	<2	Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	No data available
1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	<0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	No data available

^{**} CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

EN / EGHS Page 2 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Skin contact: Repeated and/or prolonged skin contact may cause irritation

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

Inhalation: Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent

significant exposure to toxic combustion gases from any source.

EN / EGHS Page 3 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of reach of children. Avoid contact with skin and eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents.

7.3. Specific end use(s)

Specific use(s)

These products are dark red ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use

in the products stated.

EN / EGHS Page 4 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC986M, LC986M,

 ${\tt LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,}$

LC1100HYM Ink

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits .

Chemical name	European Union	United Kingdom	France	Spain	Germany
Glycerol	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 200 mg/m ³
56-81-5		STEL: 30 mg/m ³			
Diethylene glycol	-	TWA: 23 ppm	-	-	TWA: 10 ppm
111-46-6		TWA: 101 mg/m ³			TWA: 44 mg/m ³
		STEL: 69 ppm			
		STEL: 303 mg/m ³			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Glycerol	-	TWA: 10 mg/m ³	-	TWA: 20 mg/m ³	-
56-81-5					
Diethylene glycol	-	-	-	-	TWA: 2.5 ppm
111-46-6					TWA: 11 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Glycerol	-	TWA: 50 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
56-81-5		STEL: 100 mg/m ³			STEL: 30 mg/m ³
Diethylene glycol	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 mg/m ³	-	TWA: 23 ppm
111-46-6	TWA: 44 mg/m ³	TWA: 44 mg/m ³			TWA: 100 mg/m ³
	STEL 40 ppm	STEL: 40 ppm			STEL: 69 ppm
	STEL 176 mg/m ³	STEL: 176 mg/m ³			STEL: 300 mg/m ³

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No

(PNEC)

No information available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

EN / EGHS Page 5 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid Color dark red Odor Slight.

Odor threshold No information available

Remarks • Method **Property** <u>Values</u>

рΗ

- 9 -5 °C Melting point / freezing point < Boiling point / boiling range 100 °C

Flash point 94 °C Tag Closed Cup, Cleveland Open Cup,

Evaporation rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density 1.0 - 1.1 $(H_2O=1)$ No data available None known Water solubility

Solubility(ies) Soluble in water

Partition coefficient No data available None known

Autoignition temperature > 400 °C

Decomposition temperature No data available None known Kinematic viscosity No data available None known

Dynamic viscosity 1 - 5 mPas

Explosive properties No information available No information available. Oxidizing properties No information available

9.2. Other information No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available.

EN / EGHS Page 6 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation No information available

Eye contact No information available

Skin contact: No information available

Ingestion Acute LD₅₀ > 2000 mg/kg (OECD 420 method)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,517.50 mg/kg **ATEmix (dermal)** 44,752.40 mg/kg

Skin corrosion/irritation Non-irritant (OECD 404 method)

Serious eye damage/eye irritation Minimal irritant to the eye (OECD 405 method)

Respiratory or skin sensitization It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test : Negative (OECD 471 method)

Carcinogenicity Ingredients of this product have not been classified as carcinogens according to IARC

monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

EN / EGHS Page 7 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Ecotoxicity .

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycerol	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	-	500: 24 h Daphnia magna mg/L EC50
Diethylene glycol	-	75200: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 29228 mg/L 15 min	84000: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient		
Glycerol	-1.76		
Diethylene glycol	-1.98		
1,2-Benzisothiazolin-3-one	1.3		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Dispose in accordance with federal, state and local regulations.

EN / EGHS Page 8 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

Section 14: Transport information

IMDG

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
146	Special Provisions	None

ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

IATA

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- $\frac{\text{EU-Regulations}}{\text{* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.}}$
- * Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

EN / EGHS Page 9 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHM018-01

Revision Number: 14

Product Name: LC11M, LC16M, LC38M, LC39M, LC60M, LC61M, LC67M, LC975M, LC980M, LC985M, LC990M, LC1100M, LC65HYM, LC67HYM, LC990HYM,

LC1100HYM Ink

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average)

** Trade secret

STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data

No information available

Revision Date 10-Mar-2020

Issuing Date 26-Dec-2007

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

Safety data sheet number: BHY018-01

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y,

LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY Ink

Product Form Mixture

Safety data sheet number BHY018-01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are dark yellow ink in a cartridge for Brother Industries, Ltd. inkjet

multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only

consistent with the use specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EN / EGHS Page 1 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

·

Safety data sheet number: BHY018-01

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Water	7732-18-5	231-791-2	-	65-75	Not classified	No data available
Glycerol	56-81-5	200-289-5	-	5-15	Not classified	No data available
Yellow Dye	**	-	-	1-5	Not classified	No data available
Triethylene glycol, monobutyl ether	143-22-6	205-592-6	603-183-00-0	1-5	Eye Dam. 1 (H318)	No data available
1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	<0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	No data available

^{**} CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

EN / EGHS Page 2 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

Safety data sheet number: BHY018-01

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Skin contact: Repeated and/or prolonged skin contact may cause irritation

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

Inhalation: Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent

significant exposure to toxic combustion gases from any source.

EN / EGHS Page 3 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

Safety data sheet number: BHY018-01

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of reach of children. Avoid contact with skin and eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents.

7.3. Specific end use(s)

Specific use(s)

These products are dark yellow ink in a cartridge for Brother Industries, Ltd. inkjet

multifunction devices and fax receivers. The cartridge should be used as supplied by

Brother and for use in the products stated.



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

Safety data sheet number: BHY018-01

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits .

			_		_
Chemical name	European Union	United Kingdom	France	Spain	Germany
Glycerol	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 200 mg/m ³
56-81-5		STEL: 30 mg/m ³	-	-	-
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Glycerol	-	TWA: 10 mg/m ³	-	TWA: 20 mg/m ³	-
56-81-5					
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Glycerol	-	TWA: 50 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
56-81-5		STEL: 100 mg/m ³			STEL: 30 mg/m ³

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No info

(PNEC)

No information available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protectionLong sleeved clothing and long pants.

Respiratory protection In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color dark yellow
Odor Slight.

Odor threshold No information available

EN / EGHS Page 5 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHY018-01

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

<u>Property</u>	<u>Values</u>	Remarks • Method
pH	7 - 9	
Melting point / freezing point	< -5 °C	
Boiling point / boiling range	> 100 °C	
Flash point	> 94 °C	Tag Closed Cup, Cleveland Open Cup,
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1 - 1.1	(H ₂ O=1)
Water solubility	Soluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	> 400 °C	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	1 - 5 mPas	
Explosive properties	No information available	No information available.
Oxidizing properties	No information available	

<u>9.2. Other information</u> No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂)

EN / EGHS Page 6 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

lnk

Safety data sheet number: BHY018-01

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation No information available

Eye contact No information available

Skin contact: No information available

Ingestion Acute LD₅₀ > 2000 mg/kg (OECD 420 method)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 47,459.30 mg/kg **ATEmix (dermal)** 25,406.10 mg/kg

Skin corrosion/irritation Non-irritant (OECD 404 method)

Serious eye damage/eye irritation Minimal irritant to the eye (OECD 405 method)

Respiratory or skin sensitization It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Ingredients of this product have not been classified as carcinogens according to IARC

monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity .

Contains 0.3 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Glycerol	-	51 - 57: 96 h	-	500: 24 h Daphnia magna
		Oncorhynchus mykiss		mg/L EC50
		mL/L LC50 static		
Triethylene glycol,	500: 72 h Desmodesmus	2400: 96 h Pimephales	-	500: 48 h Daphnia magna
monobutyl ether	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50
		static 2400: 96 h		
		Pimephales promelas		
		mg/L LC50 2200 - 4600:		

EN / EGHS Page 7 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

lnk

Safety data sheet number: BHY018-01

96 h Leuciscus idus mg/L	
LC50 static	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Glycerol	-1.76
Triethylene glycol, monobutyl ether	0.51
1,2-Benzisothiazolin-3-one	1.3

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Dispose in accordance with federal, state and local regulations.

Section 14: Transport information

IMDG

14.1UN/ID noNot regulated14.2Proper shipping nameNot regulated14.3Hazard ClassNot regulated14.4Packing groupNot regulated14.5Marine pollutantNot applicable

14.6 Special Provisions None

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

EN / EGHS Page 8 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHY018-01

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

RID 14.1 14.2 14.3 14.4 14.5 14.6	UN/ID no Proper shipping name Hazard Class Packing group Environmental hazard Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
ADR 14.1 14.2 14.3 14.4 14.5 14.6	UN/ID no Proper shipping name Hazard Class Packing group Environmental hazard Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None

IATA

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.
- * Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

EN / EGHS Page 9 / 10



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11Y, LC16Y, LC38Y, LC39Y, LC60Y, LC61Y, LC67Y, LC975Y, LC980Y, LC985Y, LC990Y, LC1100Y, LC65HYY, LC67HYY, LC990HYY, LC1100HYY

Ink

Safety data sheet number: BHY018-01

H318 - Causes serious eye damage H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average)

* Trade secret

STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data

No information available

Revision Date 10-Mar-2020

Issuing Date 26-Dec-2007

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

EN / EGHS Page 10 / 10